



**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

## Invitation to Bid F

HNS 21- 20

SAFEHOME CHARLOTTE

NOTE: Contractors are not authorized to visit the property before or after the bid walk, without being accompanied by the City's Rehabilitation Specialist.

### **Documents included in Package:**

- 1) Instruction to Bidders
- 2) Specs by Location/Trade (Scope of Work)
- 3) Subcontractor Certifications (if applicable)
- 4) Floor Plan / Site Drawing (if applicable)

### **Bid Walk & Bid Opening:**

responsive and disqualified.

Project Address:

jeet Address.					
6515 Cove (	Creek Rd				
Bid Walk: 11 \ 16 \ 20	<ul><li>9:15 AM</li></ul>				
Bid Opening: 11 \ 23 \ 20	e 2:00 PM				
Client Name: Brenda Foster	Contact Number: 733-8358				
Project Manager: C. Hitsman	Contact Number: 704 622 1685				
Bid Walk and Bidding Instructions:  All bid walks are mandatory.					
If you are going to be late the policy is the following:  Contact me BEFORE the start time if you are going to be late. If you are going to be more than 10 minutes late, we will proceed without you and you will not be permitted to bid.					
The day of a bid walk the best way to reach me is at _	(cell # _704 622 1685).				
Bids must be received by the date, time and place specified. All others will be considered non					

The Bids will be opened at 600 East Trade St. immediately following the above due date and time.

G:\SELECTIVE REHAB TEAM\forms\bid forms and documents\Invitation to bid WARREN

MAN



CITY OF CHARLOTTE

NEIGHBORHOOD & BUSINESS SERVICES

Company Acknowledgement:
The undersigned, having become thoroughly familiar with the terms, conditions, limitations, and provisions of the housing improvement work to be performed at core creek to be funded through the City of Charlotte Neighborhood & Business Services, in addition, having fully inspected the site in all particulars, hereby proposes and agrees to fully perform the work within the time stated and in strict accordance with the proposed contract documents including furnishing of any and all labor and materials, and to do all work required to complete said Work in accordance with the advised respective contractual, for the sum of money:  All labor, materials, services and equipment necessary for the completion of the Work shown
on the Drawings and in the Specifications:
Dollars (\$ )
Written total
Specs Dated: Number of Pages: 5
Addenda # 1 Dated: Number of Pages:
Addenda # 2 Dated: Number of Pages:
Project Schedule: Minimum Start Date -
Completion Deadline:
Please Print and Sign:
Company Name/Firm:
Authorized Representative Name:
Signature: Date:



# SAFE HOME CITY OF CHARLOTTE NEIGHBORHOOD & BUSINESS SERVICES

### Requirements For Bidders

The City awards rehabilitation bids to the lowest responsive and responsible bidder. A responsible bidder for the safe home program is one who:

- 1) Is a licensed general contractor in the State of North Carolina;
- 2) Has an Renovate, Repair & Paint Certification (http://www2.epa.gov/lead/renovation-repair-and-painting-program);
- 3) Is not listed on a local, state or federal debarment list;
- 4) Carries an appropriate amounts of insurance;
- 5) Can provide references verifying the contractor has completed work of a similar scope in a good workmanship like manner or successfully completed prior work for the Safe Home program. Referenced work must have been completed in one year or less from date of this invitation to bid.

A responsive bidder must:

- 1) Submit all requested documentation on time;
- 2) Meet the above requirements for responsibility at the time of bid submittal;
- 3) Have the capacity to meet the required schedule for the project.
- 4) Existing rehab projects contracted by the contractor must be on schedule.

The City reserves the right to waive any minor informalities or irregularities, which do not go to the heart of the bid submittal or prejudice other offers, or to reject, for good and compelling reasons, any or all bid submittals.

Rehabilitation Specialist
City of Charlotte
Neighborhood and Business Services
600 E. Trade St.
Charlotte, NC 28202
PH: (704)
Fax: (704)



**CITY OF CHARLOTTE** 

**NEIGHBORHOOD & BUSINESS SERVICES** 

### **Instructions to Bidders**

### **Explanations to Bidders**

Any explanation desired by a Contractor regarding the meaning or interpretation of the advertisement for bids, drawings, specifications, etc., must be requested in writing to the Rehabilitation Specialist with sufficient time allowed for a reply to each Contractor before the submission of their bids. Any interpretation made will be in the form of an addendum to the invitation for bids, drawings, specifications, etc., and will be furnished to all prospective Contractors. The Contractor must acknowledge any revision to the bid documents in the space provided on the bid form and it must be submitted with their bid package.

### **Preparation of Bids**

Bids shall be submitted on the forms furnished, or copies thereof, and must be manually signed. If erasures or other changes appear on the forms, the person signing the bids must initial each erasure or change

- The Contractor's Bid Proposal must be properly executed and submitted on the form provided. Bids by Contractors must be received by the Rehabilitation Specialist at the time and place specified on the "Invitation to Bid"
- No bid will be considered unless all individual work items on the Bid Form including any addendums are priced. The sum of all work items must equal to the Total Bid Amount.
- Unless called for, alternate bids will not be considered
- Modification of bids already submitted will be considered if received at the office designated in the invitation for bids by the time set for opening of bids

#### **Submittal of Bids**

- Sealed bids will be submitted to the Safe Home Program Office as directed in the invitation to bid prior to or at the appointed bid opening time
- Bid will be time stamped on the date of delivery
- Each bid must be submitted in a sealed envelope bearing on the outside the name of the Contractor, the name of the project for which the bid is submitted, and the date and time of the bid opening
- All bids submitted must be typed or written in ink and signed by the Contractor's designated representative



**CITY OF CHARLOTTE** 

NEIGHBORHOOD & BUSINESS SERVICES

- Failure to include all forms may result in rejection of a bid
- Required Bid Package Forms:
  - Scope of Work
  - Addenda Acknowledgement
  - o Itemized Work Sheet
  - o Subcontractor Certifications (if applicable)

NEIGHBORHOOD & BUSINESS SERVICES

http://housing.charlottenc.gov | 600 E. Trade Street | Charlotte, NC

### **Work Specification**

Prepared By:

City of Charlotte Housing & Neighborhood Services 600 E. Trade Street Charlotte, NC 28202 (704) 336-7600

<b>Property Detail</b>	S
------------------------	---

Λ,	hr	ra	CC	

6515 Cove Creek Rd

Charlotte, NC 28215

Owner Phone:

Owner:

Brenda Foster

Owner Phone: Program(s):

(704) 780-5848

ERP FY20

Structure Type:

Single Unit

1580

Square Feet: Year Built:

1968

Property Value:

132300

Tax Parcel:

09705803

Census Tract:

Property Zone:

Council District 1

### Repairs

**Description** 

Floor R

Room

**Exterior** 

### **FRONT & KITCHEN**

Front & Kitchen

Remove existing door, frame and threshold. Install new Energy Star rated pre-hung exterior door. Insulate cavity. Install mortised dead bolt and lever handled door hardware keyed alike. Install wide peep sight. New casing and shoe molding will match existing. Apply primer and topcoat. This installation to include repairing any damaged header, door framing, to include wall framing, sub-floor, floor joists and sill.

Bid Cost: \_\_\_\_\_ X\_\_\_ = \_\_\_\_ Base Quantity Total Cost

#### Seamless Aluminum Gutter & Downspouts - Install

Install K- type .027 gauge seamless aluminum gutter to service roof with sufficient pitch to downspouts. White or brown color choice by owner.

Bid Cost: X = Total Cost

#### Repoint Broken/ missing Masonry Bricks at REAR

AT REAR, repair/replace any missing/broken bricks.

Rake out existing mortar joints to a minimum depth of 1/2". Completely fill mortar joints to match existing. Finish will not have any excess mortar on brick face.

Bid Cost: \_\_\_\_ = \_\_\_\_ Base Quantity Total Cost

# **Work Specification**

### HVAC- Install split unit Electric Heat Pump - SEER 14

Tri-level dwelling.

Include / complete all electrical and mechanical components nessessary.

Add a chase to accommodate a return from 2nd & third floor, include in that chase supply- flex duct to attic. Paint chase and any adjoining affected walls.

	Bid Cost:		x =	
		Base	Quantity	Total Cost
Exterminate Termites				
Exterminate for termites. Drill and patch foundation and p year guarantee with an optional yearly renewable warran			ninator must be licer	nsed and provide a 1
	Bid Cost:		X=	
		Base	Quantity	Total Cost
Attic Insulation Increase to R-38				
Increase attic insulation to R-38, contractor to attach veri code.	fication to rafter at at	iic access, eas	sily seen. Include ve	entilation baffles to
	Bid Cost:		x=	
				T ( 10
		Base	Quantity	Total Cost
Insulate Floor R-19		Base	Quantity	l otal Cost
Insulate Floor R-19 Install R-19 Kraft faced batt fiberglass insulation to floor teeth" or mesh to hold insulation in place.	where missing. Vapo		-	
Install R-19 Kraft faced batt fiberglass insulation to floor		<sup>-</sup> barrier must	face heated space.	
Install R-19 Kraft faced batt fiberglass insulation to floor		<sup>-</sup> barrier must	-	Use strong wire, "tige
Install R-19 Kraft faced batt fiberglass insulation to floor		barrier must	face heated space.	Use strong wire, "tige
Install R-19 Kraft faced batt fiberglass insulation to floor teeth" or mesh to hold insulation in place.	Bid Cost: pose all loose materi les, etc. prior to appl	Base als. Secure or ving 25-year o	face heated space.  X = Quantity  replace all loose, b r better Low VOC p	Use strong wire, "tige  Total Cost  roken, rotted or aint. Owners choice of
Install R-19 Kraft faced batt fiberglass insulation to floor viteeth" or mesh to hold insulation in place.  Prep & Paint Exterior Surfaces  Prep and paint all exterior painted surfaces. Properly displaced to deteriorated materials. Caulk and fill all cracks, voids, ho	Bid Cost: pose all loose materi les, etc. prior to appl er. Use care to protec	Base  Base  als. Secure or ying 25-year out all surfaces	face heated space.  X = Quantity  replace all loose, b r better Low VOC p	Use strong wire, "tige  Total Cost  roken, rotted or aint. Owners choice of
Install R-19 Kraft faced batt fiberglass insulation to floor viteeth" or mesh to hold insulation in place.  Prep & Paint Exterior Surfaces  Prep and paint all exterior painted surfaces. Properly displaced to deteriorated materials. Caulk and fill all cracks, voids, ho	Bid Cost: pose all loose materi les, etc. prior to appl er. Use care to protec	Base als. Secure or ving 25-year oct all surfaces	face heated space.  X =  Quantity  replace all loose, b r better Low VOC p not intended for pai	Total Cost  Total Cost  roken, rotted or aint. Owners choice of nt coverage.
Install R-19 Kraft faced batt fiberglass insulation to floor viteeth" or mesh to hold insulation in place.  Prep & Paint Exterior Surfaces  Prep and paint all exterior painted surfaces. Properly displaced to deteriorated materials. Caulk and fill all cracks, voids, ho	Bid Cost: pose all loose materi les, etc. prior to appl er. Use care to protec	Base als. Secure or ving 25-year oct all surfaces	face heated space.  X = Quantity  replace all loose, b r better Low VOC p not intended for pai	Total Cost  Total Cost  roken, rotted or aint. Owners choice of nt coverage.
Install R-19 Kraft faced batt fiberglass insulation to floor viteeth" or mesh to hold insulation in place.  Prep & Paint Exterior Surfaces  Prep and paint all exterior painted surfaces. Properly disdeteriorated materials. Caulk and fill all cracks, voids, ho color. All work to be done in a neat & professional manner	Bid Cost: pose all loose materi les, etc. prior to apply er. Use care to protect  Bid Cost:	Base  Base  als. Secure or ving 25-year out all surfaces  Base	face heated space.  X = Quantity  replace all loose, beiter Low VOC ponot intended for paints.  X = Quantity	Total Cost  roken, rotted or aint. Owners choice of nt coverage.
Install R-19 Kraft faced batt fiberglass insulation to floor viteeth" or mesh to hold insulation in place.  Prep & Paint Exterior Surfaces  Prep and paint all exterior painted surfaces. Properly displayed deteriorated materials. Caulk and fill all cracks, voids, ho color. All work to be done in a neat & professional manner.  Exterior Deck Rear	Bid Cost: pose all loose materi les, etc. prior to apply er. Use care to protect  Bid Cost:	Base  als. Secure or ving 25-year out all surfaces  Base  d course. Insu	face heated space.  X = Quantity  replace all loose, beiter Low VOC ponot intended for paints.  X = Quantity	Total Cost  roken, rotted or aint. Owners choice of nt coverage.

# **Work Specification**

### Vanity/ Counter Top/ Sink - Upper Story Bath

1. Install new vanity cabinet complete with counter top of laminate with vitreous china sink or marble-lite top with preformed sink. Include single handled metal faucet with drain and pop-up, P- trap, supply lines, full port ball type shut-off valves & escutcheon plates.

Vanity medicine cabinet/mirror to remain.

- 2. Paint Bathroom, wall/trim/ceiling
- 3. Install 3 handycap bars

	Bid Cost:	X_	=	
		Base	Quantity	Total Cost
Certification				
Contractor Name:			Total Cost:	
Signature:			Date:	